## IN THE CLAIMS

Please amend the claims as follows:

1. (Currently amended) An apparatus for generating electrical power from tidal water movement, the apparatus comprising:

at least one electrical turbine adapted to be driven by tidal water movement to generate a respective first electrical signal; and

at least one drive means apparatus located remotely from the or each said turbine for receiving the or each at least one said first electrical signal, controlling the speed of rotation of the or each said turbine to adjust the efficiency thereof, and outputting at least one second electrical signal to supply electrical power generated by the or each said turbine.

- 2.(Currently amended) An apparatus according to claim 1, further comprising at least one feedback means apparatus for providing at least one first control signal for use in controlling the speed of rotation of the or each said turbine by at least one said drive means apparatus to adjust the efficiency thereof.
- 3. (Currently amended) An apparatus according to claim 1 or 2, further comprising at least one control means apparatus for receiving the or reach at least one said second electrical signal and outputting at least one third electrical signal to supply electrical power generated by the or each said turbine, wherein at least one said control means apparatus is adapted to control the frequency of the or reach at least one said third electrical signal.
- 4.(Currently amended) An apparatus according to elaims 2-and claim 3, wherein at least one said feedback means apparatus is adapted to apply at least one said first control signal responsive to the frequency of at least one said third electrical signal.

- 5. (Currently amended) An apparatus according to any one of claims claim 2 to 4, wherein at least one said feedback means apparatus is adapted to apply at least one said control signal, responsive to the velocity of said tidal water movement, to at least one said control means apparatus.
- 6. (Currently amended) An apparatus according to any one of the preceding elaims claim 1, further comprising at least one AC/DC converter means apparatus for receiving the or each at least one said first electrical signal and outputting DC signals to at least one said drive means apparatus in response thereto.
- 7. (Currently amended) An apparatus according to claim 6, further comprising at least one DC/AC converter means apparatus for receiving the or each at least one said second electrical signal and outputting said third electrical signals in response thereto.
- 8. (Currently amended) An apparatus according to any one of the preceding elaims claim 1, wherein at least one said drive means apparatus is adapted to control the speed of rotation of at least one said turbine to limit the efficiency thereof.
- 9. (Currently amended) An apparatus according to any one of the preceding elaims claim 1, wherein at least one said drive means apparatus is adapted to cause rotation of at least one said turbine from standstill thereof.

## 10. (Cancelled)

11.(Currently amended) A method of generating electrical power from tidal water movement, the method comprising:

causing at least one electrical turbine to be driven by tidal water movement to generate a respective first electrical signal;

controlling the speed of rotation of the or each said turbine by means of <u>at</u> <u>least one</u> drive <u>means apparatus</u> located remotely from the or each said turbine to control the efficiency thereof; and

outputting at least one second electrical signal from <u>at least one</u> said drive means <u>apparatus</u> to supply electrical power generated by the or each said turbine.

- 12. (Currently amended) A method according to claim 11, further comprising the step of controlling the speed of rotation of the or each said turbine in response to the frequency of at least one electrical signal output by <u>at least one</u> said drive <u>means apparatus</u>.
- 13. (Currently amended) A method according to claim 11 or 12, further comprising the step of controlling the speed of rotation of the or each said turbine in response to the velocity of said tidal water movement.
- 14. (Currently amended) A method according to any one of claims claim 11 to 13, further comprising the step of controlling the speed of rotation of at least one said turbine to limit the efficiency thereof.
- 15. A method according to any one of claims claim 11 to 14, further comprising the step of using at least one said drive means apparatus to cause rotation of at least one said turbine from standstill thereof.

## 16. (Cancelled)